

# IDS 12 & 16

## Wide rubber rolls

23

### Composition :

100% SBR rubber

### Advantages:


- Anti-slip
- Thick
- Very high resistance to abrasion
- Hammered anti-slip upper surface
- Bears heavy loads

### Laying:

Glued flat with polyurethane glue.

**Colour:** black

+ info : Custom cutting



upper surface



lower surface

Reference	Dimensions	Thickness	Weight	Fire classification
IDS12	2,0 x 50m	12 mm	15,2 kg/m <sup>2</sup>	-
IDS16	2,0 x 50m	16 mm	19,4 kg/m <sup>2</sup>	-



# POLYURETHANE GLUE

## Two-component polyurethane glue

### Composition :

Polyurethane (5.0 kg) + hardener (0.7 kg)  
or a kit of 5.7 kg

### Applications :

For all indoor or outdoor rubber floor coverings in slabs or rolls, carpets and synthetic turf.

### Advantages:

- Suitable for gluing to many supports and for coatings such as concrete and breeze blocks.
- Recommended for intensive use.
- May be subject to wide temperature variations by its flexibility

### Laying:

Polymerization time at 5°C minimum: after 24 hours for opening to foot traffic, after 48 to 72 hours for intense traffic.



Approximate consumption	
Délineige	1 to 1,2 kg/m <sup>2</sup>
Sportneige	1 to 1,2 kg/m <sup>2</sup>
ID Neige	1 to 1,2 kg/m <sup>2</sup>
Checker	0,7 to 0,8 kg/m <sup>2</sup>
Pastillé	0,7 to 0,8 kg/m <sup>2</sup>
IDS 12 / IDS 16	0,7 to 0,8 kg/m <sup>2</sup>
Astroturf / Astroski	0,7 to 0,8 kg/m <sup>2</sup>